

L Number	Hits	Search Text	DB	Time stamp
-	752207	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 14:27
-	1180	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) with ((appropriate or correct or right)adj (value or amount))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:29
-	1	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) with ((appropriate or correct or right)adj (value or amount))) same (VID or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:28
-	541	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:28
-	3	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) with ((appropriate or correct or right)adj (value or amount))) and (VID or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:28
-	2812	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) same ((appropriate or correct or right)adj (value or amount))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:29
-	25	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))) and ((appropriate or correct or right)adj (value or amount))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:30
-	283	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))) and (serial or "1394" or USB)	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:30
-	16	((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 (power or voltage)) and (VID or (voltage adj identifier))) and ((appropriate or correct or right)adj (value or amount))) and (serial or "1394" or USB)	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:34
-	221	(detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:36
-	0	((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage))same (based adj (id or identification or identifier)))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:39
-	10	((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))) and ((based adj (id or identification or identifier)))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:40

-	3	((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage)))) and ((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identifier))) and ((based adj (id or identification or identifier))))	USPAT; US-PGPUB; IBM_TDB	2004/05/20 15:40
-	172412	(processor or micro\$controller or controller or cpu) with ((voltage or supply or power)near3 control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 10:39
-	77411	(processor or micro\$controller or controller or cpu) with ((voltage or supply or power)near3 (control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 10:39
-	14194	((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 10:41
-	603	((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 10:44
-	249	((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and (serial or i2c or "1394" or usb)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 10:46
-	203	((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and ((device or controller or processor or micro\$controller)adj2 (data or informatoion or id or identifi\$6))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 10:47
-	98	((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and (serial or i2c or "1394" or usb)) and ((device or controller or processor or micro\$controller)adj2 (data or informatoion or id or identifi\$6))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:42

-	2	(((((control\$4 or provid\$4 or regulat\$4 or maitain\$4 or updat\$4)near4(voltage or supply or power))adj5 (controller or micro\$controller or cpu or processor)) same ((information or data or identification or identifier or id)near5 (receiv\$4 or accessed or collected or got))) and (serial or i2c or "1394" or usb)) and ((device or controller or processor or micro\$controller)adj2 (data or informatoion or id or identifi\$6))	EPO; JPO; DERWENT	2004/06/01 13:44
-	0	730/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:45
-	19251	713/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:46
-	3990	713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:48
-	1767	(713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4))) and (id or identifi\$6)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:49
-	1139	((713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4))) and (id or identifi\$6)) and (clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:49
-	1	((713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4))) and (id or identifi\$6)) and (verif\$6 same ((clock) with (tim\$4 adj reference)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 13:50
-	53	((713/\$.ccls. and ((voltage or power or supply)near3 (control\$4 or regulat\$4))) and (id or identifi\$6)) and ((clock) with (tim\$4 adj reference))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:17
-	19049	(communicati\$4 near4 (micri\$controller or device or cpu or processor or micro\$processor))with (controller or regulator or adjust\$4 or manag\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:20
-	156	((communicati\$4 near4 (micri\$controller or device or cpu or processor or micro\$processor))with (controller or regulator or adjust\$4 or manag\$4)) and(((processor or chip or microprocessor or controller)adj(identification or id or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:22
-	12	((communicati\$4 near4 (micri\$controller or device or cpu or processor or micro\$processor))with (controller or regulator or adjust\$4 or manag\$4)) and(((processor or chip or microprocessor or controller)adj(identification or id or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage))) and (acknowledg\$4 adj6 (speed or rate or frequency))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:25
-	179	((provid\$4 or provi\$6 or supply\$4 or control\$4 or alter\$6 or chang\$4 or vary\$4)near4 (voltage or power or supply))with (voltage adj (identifi\$6 or id))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:28
-	33	((provid\$4 or provi\$6 or supply\$4 or control\$4 or alter\$6 or chang\$4 or vary\$4)near4 (voltage or power or supply))with (voltage adj (identifi\$6 or id))) same ((voltage or supply or power)adj2 (regulator or controller))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:29

-	2	((provid\$4 or provi\$6 or supply\$4 or control\$4 or alter\$6 or chang\$4 or vary\$4)near4 (voltage or power or supply))with (voltage adj (identifi\$6 or id)) same (serial or "1394" or usb or i2c)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:39
-	15844	(serial or "1394" or usb or i2c)near3 communication	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:39
-	4	((serial or "1394" or usb or i2c)near3 communication) same ((micro\$controller or micro\$processor or cpu or processor)with ((volage or supply or power) adj (regulator or controller or varator)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:33
-	668	greiner.inv.	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:39
-	1	greiner.inv. and ((serial or "1394" or usb or i2c)near3 communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:39
-	70	greiner.inv. and (communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:49
-	116	greiner.inv. and (identifi\$7 or id or vid)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:40
-	34	(greiner.inv. and (identifi\$7 or id or vid)) and (communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:41
-	1	greiner.inv. and (serial adj communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:59
-	14935	((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 14:58
-	349	((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:00
-	184	(((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:01
-	168	(((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (clock with tim\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:01
-	108	(((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)) and (clock with tim\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:02

-	75	(((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)) and (clock with tim\$4)) and ((veryf\$7 or check\$4 or analyz\$4 or measur\$4)near5 tim\$4)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:03
-	5	(((((control\$4 or vary\$4 or regulat\$4 or alter\$4 or chnag\$4)near3 (voltage or supply or power or frequency))same (vid or id or identifier or identity or identifi\$6)) and (("1394" or usb or i2c or serial) adj communication)) and (frame or guard)) and (clock with tim\$4)) and ((veryf\$7 or check\$4 or analyz\$4 or measur\$4)near5 tim\$4)) and (bit adj pattern)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:03
-	92	((detect\$4 or determin\$6 or read\$3 or access\$4)near3 ((processor or chip or microprocessor or controller)adj(identification or identifier))) and ((provid\$3 or suppl\$4 or control\$4 or vary\$6 or chang\$4 or alter\$6)near6 ((power or voltage)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:24
-	4514	((device or apparatus or processor)adj3 communication)with controller	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:25
-	2926	((device or apparatus or processor)adj3 communication)with controller) and ((guard or frame or request or drq))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:27
-	130	((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:30
-	3	((device or apparatus or processor)adj3 communication)with controller) same ((guard))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:27
-	0	((device or apparatus or processor)adj3 communication)with controller) and ((guard or frame or request or drq))) and (clock with (timming adj refernce))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:30
-	0	((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))) and (clock with (timming adj refernce))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:31
-	0	((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))) and (clock same (timming adj refernce))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:31
-	0	((device or apparatus or processor)adj3 communication)with controller) same ((guard or frame))) and (clock same (timming))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:31
-	0	((device or apparatus or processor)adj3 communication)with controller) and ((guard or frame or request or drq))) and (clock same (timming))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:50
-	111236	((id or identifi\$7 or void)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:01
-	108767	((id or identifi\$7 or vid)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:52
-	0	((id or identifi\$7 or void)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))) with (serail adj communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 15:52

-	47	((id or identi\$7 or void)near4 (access\$4 or receiv\$4 or find\$4 or detect\$4))) with (serial adj communication)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:00
-	87098	(device or apparatus)near3 communication	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:01
-	6748	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)near4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:02
-	3958	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:03
-	377	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:03
-	0	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and ((guard adj (line or signal)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:05
-	348	((guard adj (line or signal)))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:06
-	5	((guard or frame) adj (line or signal))same (analy\$7 with clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:07
-	5	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and ((clock adj (line or signal))with (tim\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:09
-	20	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and ((data adj (line or signal))with (id or information))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:11
-	58	((device or apparatus)near3 communication) with (((id or identi\$7 or void or vid or information)adj4 (access\$4 or transfer\$4 or receiv\$4 or find\$4 or detect\$4))) same (controller or regulator) and (data adj (line or signal))	USPAT; US-PGPUB; IBM_TDB	2004/06/01 16:12
-	773	(creat\$4 adj3 image)with application	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:27
-	110	((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 image)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:28
-	4	((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 partition)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:30
-	1	((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 image)) same ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:32

-	6	((creat\$4 adj3 image)with application) same ((sav\$4 or stor\$4 or back\$5)near6 image)) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:34
-	25	((creat\$4 adj3 image)with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:52
-	773	((creat\$4 adj3 image)with application) and ((application or software))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:34
-	25	((creat\$4 adj3 image)with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))) and ((application or software))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:45
-	3	((creat\$4 adj3 image)with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))) and ((appli\$6 adj server))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:46
-	26	((creat\$4 adj3 image)with application) and ((appli\$6 adj server))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:50
-	3	((creat\$4 adj3 image)with application) and ((appliance adj server))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:46
-	222	automatic\$4 adj3 (re\$provisioning or re\$configuring)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:58
-	4	(automatic\$4 adj3 (re\$provisioning or re\$configuring)) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 11:00
-	18	(automatic\$4 adj3 (re\$provisioning or re\$configuring)) and (dynamic\$4 adj (load\$4 or access\$4 or stor\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:55
-	5	(automatic\$4 adj3 (re\$provisioning or re\$configuring)) and ((dynamic\$4 adj (load\$4 or access\$4 or stor\$4))with (application or software))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 10:57
-	127	(automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with application	USPAT; US-PGPUB; IBM_TDB	2004/06/02 11:00
-	0	((automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with application) same partion\$3	USPAT; US-PGPUB; IBM_TDB	2004/06/02 11:00
-	3	((automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with application) and ((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 11:00
-	5128	((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 11:00
-	6	((hard\$drive or hard\$disk or (hard adj (disk or drive)))near5(partition or block or section or zone or area or portion))) and ((automatic\$4 adj3 (re\$provision\$3 or re\$configur\$4 or upgrad\$4))with (software or application))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 11:01
-	6	((serial or "1394" or usb)adj5 interface)with (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 15:03
-	6	((serial or "1394" or usb or rs232)adj5 interface)with (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 15:50

-	7	((serial or "1394" or usb or rs232)near6 interface) with (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 15:49
-	0	((serial or "1394" or usb or rs232)near6 interface) with ((five or four)adj (line or signal or I/O)) and (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:16
-	32	((serial or "1394" or usb or rs232)near6 interface) with ((five or four)adj (line or signal or I/O))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:12
-	5	((serial or "1394" or usb or rs232)near6 interface) with ((five or four)adj (line or signal or I/O)) and (voltage adj (regulat\$4 or control\$4))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:11
-	1590	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:14
-	64	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:18
-	51	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O)) and (clock or cs)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:13
-	45	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O)) and (clock)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:13
-	9	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and ((five or four)adj (line or signal or I/O)) and (clock)) and (cs)	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:13
-	43	((voltage or power or supply)near3(regulat\$4 or control\$4))and ((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:32
-	0	((voltage or power or supply)near3(regulat\$4 or control\$4))and ((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O))) and (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:33
-	0	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and (vid or (voltage adj identifier)) and ((five or four)adj (line or signal or I/O))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:33
-	38	((voltage or power or supply)near3(regulat\$4 or control\$4))same ((serial or "1394" or usb or rs232)near6 interface)) and (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:32
-	19251	713/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:32
-	114	713/\$.ccls. and ((five or four)adj (line or signal or I/O))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:33
-	6	(713/\$.ccls. and (vid or (voltage adj identifier))) and ((five or four)adj (line or signal or I/O))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:33

-	1	713/\$.ccls. and (((voltage or power or supply)near3(regulat\$4 or control\$4))same (((serial or "1394" or usb or rs232)near6 interface)same((five or four)adj (line or signal or I/O))))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:36
-	74	713/\$.ccls. and (vid or (voltage adj identifier))	USPAT; US-PGPUB; IBM_TDB	2004/06/02 16:38